

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,820,800 B2
APPLICATION NO. : 10/576372
DATED : October 26, 2010
INVENTOR(S) : Rossi et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6,

Line 33, "at. pH" should read --at pH--.

Column 11,

Lines 38-39, "thereof. "Functional derivatives" as used" should read
--thereof.
"Functional derivatives" as used--.

Column 14,

Line 67, "is not any" should read --is not in any--.

Column 15,

Line 12, "meaning an range" should read --meaning and range--.
Lines 32-33, "adding few drops" should read --adding a few drops--.

Column 16,

Lines 18-19, "adding few drops" should read --adding a few drops--.
Lines 21-22, "with 5-4 BV" should read --with 5-6 BV--.
Lines 29-30, "checked and, and washing" should read --checked and washing--.

Column 17,

Line 4, "-MEP" should read --MEP--.


Column 18,

Line 64, "(2-N-Morpholino)ethanesulfonic acid)" should read
--(2-[N-Morpholino]ethanesulfonic acid)--.

Column 19,

Line 57, "2 Gillson" should read --2 Gilson--.

Signed and Sealed this
Eighteenth Day of January, 2011

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive, flowing style with a large initial "D".

David J. Kappos
Director of the United States Patent and Trademark Office

CERTIFICATE OF CORRECTION (continued)

Page 2 of 2

U.S. Pat. No. 7,820,800 B2

Column 21,

Line 56, "34 BV" should read --3-4 BV--.

Lines 57-58, "the column was rinsed the column with" should read --the column was rinsed with--.